## **AMENDMENTS TO THE CLAIMS**

Docket No.: 29636/39363A

This claim listing will replace all prior versions, and listings, of the claims in the application.

## Listing of the Claims:

- 1. (Original) A method for inducing infertility in an animal comprising inhibiting SMC1β expression or activity in said animal.
- 2. (Original) The method of claim 1, wherein said inhibiting comprises contacting said animal with a nucleic acid selected from the group consisting of a nucleic acid that is an antisense SMC1β nucleic acid and a compound 8 to 80 nucleotides in length targeted to a nucleic acid molecule encoding SMC1β, wherein said compound specifically hybridizes with a nucleic acid molecule of SEQ ID NO: 1 or 3 and inhibits the expression of SMC1β.
  - 3-9. (Canceled)
- 10. (Original) A method for inducing infertility in an animal, comprising administering to an animal an effective contraceptive amount of an agent that inhibits SMC1β expression or activity.
- 11. (Original) The method of claim 10 which further comprises restoring fertility to said animal by ceasing administration of said agent.
- 12. (Original) The method of claim 10, wherein said infertility is caused by blocking spermatogenesis.
- 13. (Original) The method of claim 12, wherein said spermatogenesis is blocked by inhibiting meiosis.
- 14. (Original) The method of claim 10, wherein said infertility is caused by blocking oogenesis.
- 15. (Original) The method of claim 14, wherein said oogenesis is blocked by inhibiting meiosis.
- 16. (Original) The method of claims 13 or 15, wherein said meiosis is inhibited at prophase of meiosis I or later.

SMC1ß antibody.

17. (Currently amended) The method of <u>claim 10</u> any of claims 10 through 16, wherein said agent is selected from the group consisting of: a nucleic acid construct, a small molecule antagonist of SMC1β, a peptidomimetic antagonist of SMC1β, and an anti-

Docket No.: 29636/39363A

W. di

- 18. (Original) The method of claim 17, wherein the agent is administered in a composition comprising a pharmaceutically acceptable carrier.
- 19. (Original) The composition of claim 18, wherein the pharmaceutically acceptable carrier is an adjuvant, solubilizer, stabilizer, diluent, anti-oxidant, liposome, micelle, or patch.
  - 20-28. (Canceled)
- 29. (Currently amended) The method of <u>claim 18 elaims 18 or 27</u>, wherein the agent is administered orally, parenterally, topically, transdermally, systemically, intravenously, intraveno
- 30. (Currently amended) The method of <u>claim 12 elaims 12 or 21</u>, wherein the administration is to the testis.
- 31. (Original) The method of claim 30, wherein the administration to the testis is by a route selected from the group consisting of: injection, implantation, and transdermal application.
- 32. (Currently amended) The method of <u>claim 14</u> <del>claims 5 or 14</del>, wherein the administration is to the ovary.
  - 33. (Canceled)
- 34. (Currently amended) The method of <u>claim 10</u> <u>claims 10 or 20</u>, wherein the animal is human.
- 35. (Original) A method of inhibiting meiosis in germ cells, comprising inhibiting the expression or activity of SMC1 $\beta$  in said cells.
- 36. (Original) The method of claim 35, wherein said germ cells are spermatocytes.

Application No. 10/570,047 Preliminary Amendment A

Docket No.: 29636/39363A

- 37. (Original) The method of claim 35, wherein said germ cells are oocytes.
- 38. (Original) The method of claim 35, wherein said meiosis is inhibited at prophase of meiosis I.
- 39. (Original) The method of claim 38, wherein said cells are treated *in vitro*.
- 40. (Original) The method of claim 38, wherein said cells are treated *in vivo*.
- 41. (Original) The method of claim 38, wherein said cells are treated in an animal subject.
  - 42. (Original) The method of claim 41, wherein said subject is human.
- 43. (Original) The method of claim 35, wherein said method comprises contacting said cells with an agent that reduces the expression or activity of SMC1β.
- 44. (Original) The method of claim 43, wherein said agent is a nucleic acid construct.
  - 45-47. (Canceled)

11 . B. 35 . L.

- 48. (Currently amended) The method of <u>claim 43 or 44</u> any of claims 43 through 47, wherein the agent is administered in a composition comprising a pharmaceutically acceptable carrier.
- 49. (Original) The method of claim 48, wherein the pharmaceutically acceptable carrier is an adjuvant, solubilizer, stabilizer, diluent, anti-oxidant, liposome, micelle, or patch.
  - 50-133. (Canceled)
- 134. (Currently amended) A method according to claim 1 or elaim 10 substantially as described and illustrated herein.
  - 135-138. (Canceled)